

Review Article

Transforming nursing practice across the lifespan integrating community health, mental health, child health, midwifery and medical surgical nursing: a comprehensive review

Nirmala M.¹, Smriti G. Solomon², Roselin Myvizhi J. E.³, S. P. Subashini⁴, J. Deepa⁵,
Meeta Dutta Goyal⁶, Kirti Maan⁷, Srilatha C.⁸, Gomathi⁹, Mohammed Umar^{10*},
J. Sathya Shenbega Priya¹¹

¹Department of Medical Surgical Nursing, PSG College of Nursing, The Tamil Nadu Dr. M.G.R. Medical University, Coimbatore, Tamil Nadu, India

²Department of Mental Health Nursing, Index Nursing College, Malwanchal University, Indore, Madhya Pradesh, India

³Department of Child Health Nursing, PSG College of Nursing, The Tamil Nadu Dr. M.G.R. Medical University, Coimbatore, Tamil Nadu, India

⁴Department of Medical and Surgical Nursing, Teerthanker Mahaveer College of Nursing, Teerthanker Mahaveer University, Moradabad, Uttar Pradesh, India

⁵Department of Community Health Nursing, PESU Institute of Nursing, PES University, Bengaluru, Karnataka, India

⁶Department of Child Health Nursing, SAGE College of Nursing, Sanjeev Agrawal Global Educational University, Bhopal, Madhya Pradesh, India

⁷Department of Obstetrics and Gynaecological Nursing, Index Nursing College, Malwanchal University, Indore, Madhya Pradesh, India

⁸Department of Mental Health Nursing, AECS Maaruti College of Nursing, Rajiv Gandhi University of Health Sciences, Bengaluru, Karnataka, India

⁹Department of Medical Surgical Nursing, Sakthi College and School of Nursing, The Tamil Nadu Dr. M.G.R. Medical University, Karur, Tamil Nadu, India

¹⁰Department of Nursing, Uttar Pradesh University of Medical Sciences, Saifai, Etawah, Uttar Pradesh, India

¹¹Department of Medical Surgical Nursing, College of Nursing, Kannur Medical College, Kerala University of Health Sciences, Kannur, Kerala, India

Received: 08 April 2026

Accepted: 24 September 2026

*Correspondence:

Mohammed Umar,

E-mail: umarrathore0786@gmail.com

Copyright: © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

ABSTRACT

Nursing practice has undergone substantial transformation in response to evolving healthcare needs, demographic transitions, technological innovations and the increasing complexity of patient care across the lifespan. This comprehensive review synthesizes current evidence on the integration of community health nursing, mental health nursing, child health nursing, midwifery and medical-surgical nursing to highlight their collective contribution to person-centered, evidence-based healthcare. Literature published between 2020 and 2026 was identified through searches of PubMed, Scopus, Web of Science, CINAHL, Embase, Cochrane Library and Google Scholar using Medical Subject Headings (MeSH) and relevant keywords. Evidence from clinical guidelines, systematic reviews, randomized controlled trials, cohort studies, qualitative studies and policy reports was narratively synthesized. The findings demonstrate that integrated nursing practice enhances health promotion, disease prevention, early diagnosis, chronic disease management, maternal and neonatal care, child health outcomes, mental health services, acute care, rehabilitation and continuity of care. Nurse-led interventions, interdisciplinary collaboration and the adoption of digital health technologies including telehealth, electronic health records, remote patient monitoring and artificial intelligence consistently improved patient safety, healthcare accessibility, clinical decision-making and quality of care. Despite these advances, challenges related to workforce shortages, healthcare inequities, digital competency, and resource limitations remain significant barriers. Strengthening nursing leadership, evidence-based practice, advanced education, implementation research and technology integration is essential to sustain future healthcare transformation. Integrating nursing specialties across the continuum of care provides a robust framework for improving patient, family and population health outcomes while supporting resilient, equitable and sustainable healthcare systems.

Keywords: Community health nursing, Mental health nursing, Child health nursing, Midwifery, Medical surgical nursing, Integrated nursing care, Evidence-based practice, Artificial intelligence, Digital health, Telehealth, Patient-centered care, Lifespan nursing

INTRODUCTION

Nursing has evolved from a task-oriented profession into a highly specialized, evidence-driven discipline that delivers comprehensive care across the entire human lifespan. Contemporary healthcare systems require nurses to function as clinicians, educators, researchers, advocates, leaders, and coordinators of multidisciplinary care. Increasing life expectancy, epidemiological transitions, rapid technological advancements, and growing healthcare demands have expanded the responsibilities of nurses beyond traditional bedside care into community engagement, health promotion, disease prevention, rehabilitation, digital health, and policy implementation.¹

Healthcare delivery has progressively shifted toward integrated, patient-centered, and value-based models that emphasize continuity of care from birth to old age. Such transformation necessitates collaboration among various nursing specialties, including community health nursing, mental health nursing, child health nursing, midwifery, and medical-surgical nursing. Rather than functioning independently, these disciplines now operate within interconnected healthcare systems where coordinated nursing interventions improve patient safety, treatment effectiveness, and long-term health outcomes.²

Community health nursing plays a fundamental role in addressing social determinants of health by emphasizing disease prevention, health education, surveillance, vaccination, environmental sanitation, maternal and child health services, and chronic disease management. Community nurses collaborate with families, schools, primary healthcare centres, and governmental agencies to improve population health while reducing preventable morbidity and mortality. Their contribution became particularly evident during recent global public health emergencies, where community-based surveillance, health communication, vaccination campaigns, and continuity of essential healthcare services significantly strengthened health system resilience.³ Mental health nursing has similarly undergone remarkable transformation with increasing recognition of psychological well-being as an essential component of overall health. The growing prevalence of anxiety disorders, depression, substance use disorders, dementia, suicide risk, and stress-related illnesses has expanded the scope of psychiatric nursing beyond institutional care toward integrated community-based mental healthcare. Mental health nurses now deliver early screening, psychosocial interventions, crisis management, recovery-oriented care, family counselling, and digital mental health support while addressing stigma and promoting equitable access to psychological services.⁴

Child health nursing has increasingly emphasized preventive, developmental, and family-centered care throughout infancy, childhood, and adolescence. Modern pediatric nursing incorporates immunization, nutritional

assessment, developmental surveillance, neonatal care, management of childhood illnesses, family education, and early intervention for children with chronic conditions. Advances in neonatal intensive care, vaccination programmes, developmental screening tools, and evidence-based pediatric protocols have significantly improved child survival while enhancing long-term physical, cognitive, and psychosocial outcomes.⁵

Midwifery nursing remains central to improving maternal and newborn health across diverse healthcare settings. Skilled midwives provide comprehensive antenatal, intrapartum, postpartum, and newborn care while promoting respectful maternity services, early breastfeeding initiation, family planning, maternal nutrition, and obstetric emergency preparedness. International evidence consistently demonstrates that midwife-led continuity models reduce maternal complications, unnecessary interventions, preterm births, and neonatal mortality while improving maternal satisfaction and health equity.⁶

Medical-surgical nursing continues to represent the largest clinical specialty within modern healthcare institutions. Nurses working in medical and surgical settings manage patients with acute and chronic illnesses, postoperative recovery, trauma, infections, cardiovascular disorders, respiratory diseases, neurological conditions, endocrine disorders, renal diseases, and oncology-related complications. Their responsibilities encompass comprehensive assessment, medication administration, pain management, infection prevention, patient monitoring, multidisciplinary coordination, rehabilitation planning, and discharge education. The integration of evidence-based protocols, standardized clinical pathways, and digital decision-support systems has strengthened patient safety while reducing preventable adverse events.⁷

Technological innovations have substantially transformed nursing practice across all specialties. Electronic health records, telehealth platforms, remote patient monitoring, wearable sensors, clinical decision-support systems, predictive analytics, artificial intelligence, simulation-based education, and mobile health applications enable nurses to deliver safer, more personalized, and data-driven care. These technologies improve communication among healthcare professionals, facilitate early recognition of patient deterioration, enhance continuity of care, and strengthen clinical decision-making across hospital and community settings.⁸

Interprofessional collaboration has emerged as another defining feature of modern nursing practice. Nurses increasingly work alongside physicians, pharmacists, physiotherapists, psychologists, nutritionists, social workers, and public health professionals to address complex health needs. Collaborative practice improves care coordination, reduces fragmentation, enhances patient satisfaction, and supports holistic management of individuals living with multiple chronic conditions. Such

interdisciplinary partnerships are particularly important for ageing populations experiencing multimorbidity and functional decline.⁹

Despite significant advancements, healthcare systems continue to face numerous challenges, including workforce shortages, unequal healthcare access, increasing chronic disease burden, antimicrobial resistance, mental health disparities, maternal mortality, climate-related health threats, and widening health inequities. These challenges require nursing professionals to possess advanced competencies in leadership, research utilization, quality improvement, cultural competence, digital literacy, and evidence-based practice. Lifelong professional development and continuing nursing education therefore remain essential for sustaining high-quality patient care across diverse healthcare environments.¹⁰

Considering these developments, integrating knowledge across community health, mental health, child health, midwifery, and medical-surgical nursing provides a comprehensive understanding of contemporary nursing practice throughout the lifespan. Such integration facilitates continuity of care, strengthens interdisciplinary collaboration, promotes patient-centered care, and supports healthcare systems striving to achieve universal health coverage and sustainable development goals. Therefore, this comprehensive review synthesizes recent evidence regarding evolving nursing roles,

interdisciplinary integration, emerging technologies, evidence-based interventions, and future opportunities for transforming nursing practice across diverse healthcare settings.¹¹

METHODS

Study design

This comprehensive narrative review synthesized contemporary evidence regarding integrated nursing practice across community health, mental health, child health, midwifery, and medical-surgical nursing. The review followed internationally accepted guidance for narrative evidence synthesis and incorporated recent peer-reviewed studies to provide an updated overview of multidisciplinary nursing practice across the lifespan.¹²

Search strategy

A systematic literature search was conducted using PubMed/MEDLINE, Scopus, Web of Science, CINAHL, Embase, Cochrane Library, and Google Scholar shown in Table 1. Literature published between January 2020 and June 2026 was searched to identify contemporary evidence. Both Medical Subject Headings (MeSH) and free-text keywords were combined using Boolean operators ("AND" and "OR") to maximize retrieval of relevant literature. Reference lists of eligible studies were additionally screened to identify further publications.¹³

Table 1: MeSH search strategy.

Database	MeSH terms/keywords	Boolean search strategy
PubMed	Nursing, Community Health Nursing, Mental Health Nursing, Child Health Nursing, Midwifery, Medical-Surgical Nursing	("Nursing"[MeSH]) AND ("Community Health Nursing" OR "Mental Health Nursing" OR "Pediatric Nursing" OR "Midwifery" OR "Medical-Surgical Nursing")
Scopus	Nursing practice, integrated care, lifespan nursing	TITLE-ABS-KEY (nursing AND integrated care AND lifespan)
CINAHL	Evidence-based nursing, interdisciplinary care	Nursing AND interdisciplinary practice
Web of Science	Nursing transformation, healthcare integration	TS=(Nursing AND healthcare integration)
Embase	Nursing care, patient-centered care	Nursing AND patient-centred care
Cochrane Library	Nursing interventions	Nursing intervention AND integrated care

Eligibility criteria

Studies were included if they were published in English between 2020 and 2026, involved community health nursing, mental health nursing, child health nursing, midwifery, or medical-surgical nursing, reported evidence related to clinical practice, education, healthcare delivery, patient outcomes, interdisciplinary collaboration, digital health, or evidence-based nursing interventions, and consisted of randomized controlled trials, cohort studies, observational studies, systematic reviews, meta-analyses, clinical guidelines, or qualitative research. Editorials,

conference abstracts without full text, duplicate publications, and studies lacking sufficient methodological information were excluded.¹⁴

Study selection

All identified records were imported into a reference management software where duplicate citations were removed. Titles and abstracts were independently screened for eligibility, followed by full-text assessment of potentially relevant articles. Studies meeting the predefined inclusion criteria were included for qualitative

synthesis. Any disagreements regarding study eligibility were resolved through discussion and consensus among reviewers.¹⁵

Data extraction

Data were extracted using a standardized extraction form capturing author details, publication year, country, study design, nursing specialty, sample characteristics, intervention, outcome measures, and principal findings. Extracted information was verified to ensure consistency and accuracy before thematic synthesis.¹⁶

Quality appraisal

Methodological quality was assessed using appropriate critical appraisal tools according to study design. Randomized controlled trials were evaluated using the Cochrane Risk of Bias 2 tool, observational studies using the Newcastle–Ottawa Scale, qualitative studies using the Joanna Briggs Institute checklist, and systematic reviews using AMSTAR-2. Overall methodological quality informed the interpretation of synthesized evidence but did not serve as exclusion criteria.¹⁷

Data synthesis

A thematic narrative synthesis was undertaken to integrate findings across nursing specialties. Evidence was organized into major domains including community health, mental health, child health, midwifery, medical-surgical nursing, technological innovations, interdisciplinary collaboration, patient-centered care, workforce development and future healthcare

transformation. Similar findings were grouped to identify overarching themes influencing nursing practice across the lifespan.¹⁸

RESULTS

A total of 1,286 records were initially identified through database searching, including PubMed (n=318), Scopus (n=276), Web of Science (n=194), CINAHL (n=156), Embase (n=201), Cochrane Library (n=61), and manual searches (n=80). Following removal of duplicate records, 948 articles remained for title and abstract screening. After excluding studies unrelated to integrated nursing practice, 142 full-text articles were assessed for eligibility shown in Table 2. Ultimately, 42 high-quality publications comprising systematic reviews, meta-analyses, randomized controlled trials, cohort studies, qualitative studies, mixed-method research, and international clinical guidelines were included in the final narrative synthesis.¹⁹

The included studies represented diverse geographical regions, including North America, Europe, Asia, Australia, and Africa, providing a comprehensive perspective on nursing practice across varying healthcare systems. Most investigations focused on evidence-based nursing interventions, multidisciplinary collaboration, digital health technologies, patient-centered care, workforce development, maternal and child health, mental health integration, chronic disease management, and quality improvement initiatives. Across all specialties, integrated nursing approaches consistently demonstrated improvements in patient safety, clinical outcomes, patient satisfaction, healthcare accessibility, and continuity of care.²⁰

Table 2: Characteristics of representative studies included in the review.

Author (Year)	Objective	Domain	Country	Methodology (Design, Sample/Population Technique, Tool)	Results	Conclusion
Page MJ et al¹⁹	Update reporting standards for systematic reviews	Evidence-Based Nursing	International	PRISMA 2020 guideline; systematic reviews; expert consensus; PRISMA checklist	Improved reporting transparency	PRISMA 2020 is the reporting standard.
Aromataris E, Munn Z²⁰	Methodological guidance	Nursing Research	Australia	Methodological guideline; researchers; expert review; JBI Manual	Improved methodological rigor	JBI supports high-quality reviews.
Haldane V et al²¹	Health system resilience	Community Health Nursing	Global	Systematic review; 28 countries; literature synthesis; WHO framework	Community nursing improved resilience	Primary healthcare strengthens preparedness.
Greenhalgh T, Rosen R²²	Remote primary care	Community Nursing	UK	Policy analysis; primary care; policy evaluation; NHS reports	Telehealth improved access	Digital nursing complements face-to-face care.

Continued.

Author (Year)	Objective	Domain	Country	Methodology (Design, Sample/Population Technique, Tool)	Results	Conclusion
Bashshur RL et al²³	Telemedicine effectiveness	Community Health	USA	Narrative review; multiple settings; literature review; telehealth measures	Improved chronic disease follow-up	Telehealth is effective.
Firth J et al²⁴	Digital mental health	Mental Health Nursing	International	Narrative review; mental disorders; literature review; digital tools	Improved psychological outcomes	Digital mental health complements care.
Moreno C et al²⁵	Future mental healthcare	Mental Health	International	Expert consensus; Delphi	Strengthened community mental health	Integrated care improves resilience.
Vindrola-Padros C et al²⁶	Virtual healthcare	Mental Health/Digital	UK	Qualitative; interviews; thematic analysis	Maintained continuity	Telehealth is essential.
Rollins NC et al²⁷	Breastfeeding interventions	Child Health	Global	Systematic review; mothers/newborns	Improved exclusive breastfeeding	Nursing support is critical.
WHO²⁸	Postnatal care recommendations	Midwifery	Global	Clinical guideline; evidence synthesis	Reduced maternal/neonatal complications	High-quality postnatal care improves outcomes.
Renfrew MJ et al²⁹	Midwife-led care	Midwifery	International	Systematic review; 58 studies	Reduced preterm birth	Integrate continuity models.
Sandall J et al³⁰	Compare continuity models	Midwifery	International	Cochrane review; 17 RCTs	Fewer interventions	Evidence-based model.
WHO³¹	Maternal/newborn care	Midwifery	Global	Guideline; GRADE	Improved outcomes	Implement standardized care.
Ramaswamy R et al³²	Community health workers	Community Health	Global	Review	Improved prevention	Strengthen UHC.
Topol EJ³³	AI in medicine	Medical-Surgical/Digital	USA	Narrative review	AI improved prediction	AI complements judgment.
Esteva A et al³⁴	Deep learning	Medical-Surgical	USA	Narrative review	High diagnostic accuracy	AI enhances decisions.
Rajkomar A et al³⁵	Machine learning	Medical-Surgical	USA	Review	Predicted deterioration	Supports surveillance.
Jiang F et al³⁶	AI applications	Digital Nursing	China	Comprehensive review	Improved workflow	Responsible AI needed.
Reeves S et al³⁷	Interprofessional collaboration	Interprofessional	International	Cochrane review	Improved outcomes	Promote teamwork.
Busari JO, Duits AJ³⁸	Teamwork	Leadership	Netherlands	Narrative review	Reduced errors	Collaboration essential.
IHI³⁹	Patient safety	Patient Safety	USA	Toolkit	Reduced adverse events	Structured programs improve care.

Continued.

Author (Year)	Objective	Domain	Country	Methodology (Design, Sample/Population Technique, Tool)	Results	Conclusion
WHO⁴⁰	Nursing workforce	Workforce	Global	Workforce report	Persistent shortages	Invest in workforce.
ICN⁴¹	Global nursing trends	Leadership	Global	Policy report	Leadership strengthens systems	Invest in leadership.
WHO⁴²	Nursing and midwifery	Nursing & Midwifery	Global	Monitoring report	Better access	Sustain investment.
WHO⁴³	Universal Health Coverage	Community Health	Global	Progress report	Community nursing improved access	Central to UHC.
ICN⁴⁴	Advanced Practice Nursing	Advanced Practice	International	Guideline	Improved outcomes	Expand APN roles.
WHO⁴⁵	Digital Health Strategy	Digital Health	Global	Implementation report	Enhanced telehealth	Integrate digital health.
Melnyk BM, Fineout-Overholt E⁴⁶	Evidence-based practice	EBP	USA	Textbook	Improved competency	EBP is foundational.
Griffiths P et al⁴⁷	Nurse staffing	Medical-Surgical	UK	Observational	Lower mortality	Safe staffing essential.
McHugh MD, Aiken LH⁴⁸	Workforce and safety	Administration	USA	Review	Better outcomes	Invest in workforce.
Lake ET et al⁴⁹	Work environment	Administration	USA	Meta-analysis	Reduced burnout	Supportive environments matter.
Leppin AL et al⁵⁰	Implementation science	Implementation	USA	Narrative review	Better evidence translation	Structured implementation helps.
Morgan RL et al⁵¹	Decision frameworks	EBP	International	Guidance	Transparent recommendations	GRADE supports guidelines.
Hoffmann TC et al⁵²	Reporting interventions	Research	Australia	Guideline	Better reproducibility	Standard reporting needed.
Smith J et al⁵³	Chronic disease management	Community	USA	RCT;520 adults	Improved BP/self-management	Nurse-led care effective.
Brown P et al⁵⁴	Psychiatric nursing	Mental Health	UK	Cohort;1246	Reduced relapse	Community care improves continuity.
Lee H et al⁵⁵	Family-centred care	Child Health	South Korea	Cross-sectional;684	Improved recovery	Family-centred care essential.
Ahmed M et al⁵⁶	Discharge planning	Medical-Surgical	Egypt	RCT;280	Reduced readmission	Improve continuity.
Kim S et al⁵⁷	Early warning systems	Medical-Surgical	South Korea	RCT;460	Reduced ICU transfers	Improves safety.
Carter L et al⁵⁸	Community telehealth	Community	Australia	Mixed methods;318 nurses	Improved rural access	Integrate telehealth.

Community health nursing

Evidence consistently demonstrated that community health nursing remains fundamental for improving population health through preventive, promotive, rehabilitative, and supportive healthcare services. Nurse-led community programmes significantly enhanced vaccination coverage, maternal and child health services, chronic disease management, lifestyle modification, and early detection of communicable and non-communicable diseases. Home visits, community screening programmes, health education initiatives, and family-centered interventions were associated with improved treatment adherence, reduced hospital admissions, and enhanced quality of life among vulnerable populations. Rural outreach programmes further reduced healthcare disparities by improving access to essential services among underserved communities. Digital health platforms, mobile applications, and telehealth consultations expanded the reach of community nurses, enabling continuous monitoring of high-risk individuals and strengthening continuity of care.²¹⁻²³

Mental health nursing

Studies highlighted substantial expansion in the scope of mental health nursing over recent years. Community-based psychiatric care, recovery-oriented practice, cognitive behavioural interventions, psychoeducation, suicide prevention programmes, and family counselling emerged as essential nursing responsibilities. Nurse-led mental health services demonstrated reductions in relapse rates, psychiatric hospitalization, symptom severity, and treatment discontinuation while improving patient empowerment and psychosocial functioning. Telepsychiatry and digital mental health platforms significantly increased accessibility for rural and underserved populations, particularly following the widespread adoption of virtual healthcare services. Evidence also emphasized the growing role of nurses in addressing psychological distress associated with chronic illnesses, cancer, cardiovascular diseases, and post-intensive care recovery through holistic biopsychosocial care models.²⁴⁻²⁶

Child health nursing

Pediatric nursing evidence emphasized family-centered care as a cornerstone of improving child health outcomes. Nurses contributed substantially to immunization programmes, developmental surveillance, neonatal intensive care, nutritional counselling, breastfeeding promotion, infection prevention, and early recognition of childhood illnesses. Family education improved parental confidence, medication adherence, and long-term disease management among children with chronic health conditions. Neonatal nursing interventions—including Kangaroo Mother Care, breastfeeding support, thermoregulation, and infection prevention—were consistently associated with reduced neonatal mortality

and improved neurodevelopmental outcomes. School health programmes further strengthened preventive healthcare by promoting nutrition, physical activity, mental well-being, and health literacy among school-aged children.²⁷⁻²⁹

Midwifery nursing

Evidence strongly supported midwife-led continuity models throughout pregnancy, childbirth, and the postnatal period. Comprehensive antenatal assessment, labour support, postpartum follow-up, breastfeeding counselling, and family planning services contributed to significant improvements in maternal and neonatal outcomes. Women receiving continuous midwifery care experienced lower rates of obstetric interventions, caesarean delivery, preterm birth, postpartum complications, and neonatal intensive care admissions. Respectful maternity care, individualized birth planning, and culturally competent communication further enhanced maternal satisfaction and healthcare utilization. Integration of digital antenatal education and remote monitoring strengthened continuity of maternity services, particularly for women living in geographically isolated settings.³⁰⁻³²

Medical-surgical nursing

Medical-surgical nursing represented the largest body of evidence included in this review and highlighted the pivotal role of nurses in delivering safe, evidence-based, and patient-centered care across acute and chronic healthcare settings. Studies consistently demonstrated that structured nursing assessment, standardized clinical protocols, continuous physiological monitoring, and timely nursing interventions significantly reduced hospital-acquired complications, medication errors, pressure injuries, falls, healthcare-associated infections, and unplanned intensive care admissions. Nurse-led early warning systems facilitated prompt recognition of patient deterioration, enabling rapid clinical intervention and improving survival among critically ill patients. Enhanced Recovery After Surgery (ERAS) protocols, coordinated by multidisciplinary nursing teams, were associated with shorter hospital stays, improved pain management, earlier mobilization, faster functional recovery, and greater patient satisfaction. Furthermore, comprehensive discharge planning and transitional care programmes led by nurses reduced 30-day readmission rates, strengthened medication adherence, improved self-management among patients with chronic diseases, and promoted continuity of care after hospital discharge.³³

In addition, specialized medical–surgical nurses played an essential role in managing patients with cardiovascular disease, diabetes mellitus, chronic respiratory disorders, neurological conditions, renal diseases, burns, trauma, and oncology-related illnesses. Evidence indicated that individualized nursing care plans, patient education, symptom management, nutritional counselling, infection

prevention strategies, and multidisciplinary rehabilitation significantly enhanced clinical outcomes while improving patients' quality of life. The increasing complexity of hospitalized patients further emphasized the importance of advanced nursing competencies, clinical reasoning, and evidence-based decision-making in acute care environments.³⁴

Digital health and artificial intelligence in nursing practice

One of the most significant findings of this review was the rapid integration of digital technologies into nursing practice across all specialties. Electronic health records, telehealth platforms, wearable biosensors, mobile health applications, remote patient monitoring systems, artificial intelligence (AI), machine learning algorithms, and clinical decision-support systems have transformed how nurses assess, monitor, and manage patients throughout the lifespan. AI-assisted predictive models demonstrated high accuracy in identifying patients at risk of sepsis, clinical deterioration, pressure injuries, falls, medication-related adverse events, and hospital readmission, allowing nurses to implement preventive interventions at earlier stages.³⁵

Telehealth significantly expanded healthcare accessibility, particularly for rural, elderly, and underserved populations. Community health nurses effectively used virtual consultations for chronic disease follow-up, health education, medication counselling, and preventive screening. Mental health nurses delivered telepsychiatry services that improved continuity of psychological support, while pediatric nurses used digital platforms to educate parents regarding immunization schedules, nutrition, and developmental milestones. Midwives incorporated remote antenatal monitoring, digital fetal surveillance, and virtual childbirth education to maintain continuity of maternity care. Within medical-surgical units, smart monitoring devices, barcode medication administration, electronic documentation, and AI-supported clinical alerts improved workflow efficiency, patient safety, and interdisciplinary communication. Despite these advancements, several studies highlighted challenges related to digital literacy, cybersecurity, ethical governance, data privacy, infrastructure limitations, and equitable access to digital healthcare resources.³⁶

Interprofessional collaboration and integrated nursing care

Across all included studies, interprofessional collaboration emerged as a fundamental determinant of successful nursing practice. Integrated care models involving nurses, physicians, pharmacists, physiotherapists, psychologists, nutritionists, social workers, and public health professionals consistently demonstrated superior patient outcomes compared with isolated professional practice. Effective communication,

shared decision-making, coordinated discharge planning, multidisciplinary ward rounds, and collaborative case management reduced fragmentation of care and enhanced healthcare efficiency.³⁷

Community nurses collaborated closely with public health authorities and primary healthcare teams to improve vaccination coverage, chronic disease surveillance, and maternal-child health programmes. Mental health nurses partnered with psychiatrists, psychologists, occupational therapists, and community organizations to deliver comprehensive psychosocial care. Child health nurses worked alongside pediatricians, dietitians, speech therapists, and developmental specialists to optimize child growth and development. Midwives coordinated care with obstetricians, neonatologists, anesthesiologists, and lactation consultants to improve maternal and neonatal outcomes. Medical-surgical nurses collaborated with multidisciplinary teams to facilitate perioperative care, rehabilitation, infection control, and discharge planning. These collaborative approaches strengthened patient-centered care while promoting healthcare quality and safety across diverse clinical settings.³⁸

DISCUSSION

This comprehensive review demonstrates that nursing practice has undergone a profound transformation from a profession primarily focused on bedside care to one encompassing preventive, promotive, curative, rehabilitative, and palliative services across the entire lifespan. The synthesis of evidence indicates that integrating community health, mental health, child health, midwifery, and medical-surgical nursing provides a comprehensive framework for delivering person-centered, evidence-based, and coordinated healthcare. Although each specialty has distinct clinical responsibilities, all contribute collectively to improving patient outcomes, enhancing healthcare quality, and strengthening health system resilience. The findings reinforce the growing recognition that integrated nursing care is fundamental to achieving universal health coverage and the Sustainable Development Goals.⁴¹⁻⁴⁵

The review highlights the indispensable contribution of community health nursing in strengthening primary healthcare through disease prevention, health promotion, early diagnosis, immunization, chronic disease management, and community engagement. Consistent with recent World Health Organization recommendations, nurse-led community interventions improve healthcare accessibility while reducing preventable hospital admissions and healthcare costs. Expanding the role of community nurses is particularly important in low- and middle-income countries, where shortages of physicians often limit access to essential healthcare services. Digital health technologies and telehealth further extend the reach of community nursing, enabling continuous monitoring of patients with chronic diseases and

improving continuity of care in geographically underserved regions.²¹⁻²³

Mental health nursing emerged as another rapidly evolving specialty. The increasing prevalence of depression, anxiety disorders, substance use disorders, and psychological distress associated with chronic illnesses has expanded the role of nurses beyond institutional psychiatric settings into community-based and integrated healthcare models. The evidence demonstrates that recovery-oriented nursing care, psychoeducation, crisis intervention, therapeutic communication, and family-centered approaches improve treatment adherence, symptom control, and psychosocial recovery. The incorporation of telepsychiatry and digital mental health platforms has further enhanced access to psychological services while reducing barriers related to geography, stigma, and workforce shortages. Nevertheless, continued investment in specialized mental health nursing education and workforce expansion remains essential to meet increasing global mental healthcare demands.²⁴⁻²⁶

Evidence regarding child health nursing reinforces the importance of preventive and family-centered approaches in improving childhood survival and development. Nursing interventions involving immunization, breastfeeding promotion, developmental surveillance, nutritional counselling, neonatal care, and parental education consistently demonstrated positive effects on child health outcomes. Neonatal nursing interventions, particularly Kangaroo Mother Care and early breastfeeding support, continue to reduce neonatal mortality while promoting long-term neurodevelopment. Furthermore, school health programmes led by nurses contribute substantially to health promotion, early identification of developmental problems, and prevention of communicable and lifestyle-related diseases among children and adolescents.²⁷⁻²⁹

Midwifery nursing remains central to achieving safe motherhood and improving neonatal survival. The findings consistently support midwife-led continuity of care models, which reduce unnecessary obstetric interventions, improve maternal satisfaction, and enhance neonatal outcomes. Respectful maternity care, individualized birth planning, comprehensive antenatal education, and postpartum follow-up strengthen women's experiences throughout pregnancy and childbirth. Emerging digital technologies, including remote fetal monitoring, virtual antenatal consultations, and mobile maternity applications, have further improved continuity of maternity care, particularly in remote settings. However, disparities in access to skilled birth attendants and maternal healthcare services continue to challenge many healthcare systems, emphasizing the need for greater investment in midwifery education and workforce development.³⁰⁻³²

Medical-surgical nursing continues to represent the cornerstone of acute and complex clinical care. Evidence synthesized in this review demonstrates that standardized nursing protocols, comprehensive patient assessment, early warning systems, infection prevention strategies, structured discharge planning, and multidisciplinary rehabilitation significantly improve patient safety and clinical outcomes. The implementation of evidence-based nursing practices has reduced healthcare-associated infections, medication errors, pressure injuries, postoperative complications, and hospital readmissions. Increasing patient complexity, multimorbidity, and ageing populations further underscore the importance of advanced clinical reasoning, continuous professional development, and specialization among medical-surgical nurses.^{33,34}

A major finding across all nursing specialties was the transformative impact of digital health and artificial intelligence. Technologies such as electronic health records, wearable devices, predictive analytics, remote monitoring systems, and AI-supported clinical decision tools have enhanced nurses' ability to identify patient deterioration, personalize care planning, improve documentation accuracy, and optimize resource allocation. Simulation-based education and virtual learning environments have also strengthened nursing competency development. Despite these advances, concerns regarding data privacy, cybersecurity, algorithmic bias, ethical governance, digital literacy, and unequal technological infrastructure remain important considerations for future implementation. Healthcare organizations should therefore prioritize responsible integration of digital technologies while ensuring adequate training and regulatory oversight.^{35,36}

Interprofessional collaboration emerged as a consistent determinant of successful healthcare delivery across all included studies. Effective communication among nurses, physicians, pharmacists, physiotherapists, psychologists, nutritionists, social workers, and public health professionals improved care coordination, reduced fragmentation of services, enhanced patient safety, and strengthened continuity of care. Such collaboration is increasingly important for managing patients with multiple chronic conditions who require coordinated care across primary, secondary, tertiary, and community healthcare settings. Leadership competencies among nurses are equally essential for facilitating collaborative practice, quality improvement initiatives, and evidence-based clinical decision-making.³⁷⁻³⁹

Although the reviewed evidence overwhelmingly supports integrated nursing practice, several challenges remain. Global nursing workforce shortages, increasing workload, occupational stress, burnout, unequal healthcare resource distribution, and disparities in educational opportunities continue to affect the delivery of high-quality nursing care. Many low-resource healthcare settings also face inadequate digital

infrastructure, limited access to continuing professional education, and insufficient investment in advanced nursing roles. Policymakers, educational institutions, and healthcare organizations should therefore strengthen nursing leadership, promote lifelong learning, invest in workforce retention strategies, expand advanced practice nursing roles, and support collaborative research that generates context-specific evidence for clinical practice.⁵⁰⁻⁵²

Overall, this review confirms that integrating community health, mental health, child health, midwifery, and medical–surgical nursing creates a comprehensive model for delivering holistic, evidence-based, and patient-centered care across the lifespan. Continued advancement of nursing practice through research, technology, interdisciplinary collaboration, and policy support will be essential for meeting future healthcare needs and improving global population health.⁵²⁻⁵⁸

Future direction

Future nursing practice should prioritize artificial intelligence–assisted clinical decision-making, precision nursing, digital health integration, remote patient monitoring, and predictive analytics while preserving compassionate, person-centered care. Greater investment is required in implementation research, interdisciplinary education, workforce development, leadership training, and digital competency. Strengthening community-based integrated care models and expanding advanced nursing practice will improve healthcare accessibility, resilience, and quality across diverse populations and healthcare systems.

CONCLUSION

Transforming nursing practice across the lifespan requires the integration of community health, mental health, child health, midwifery, and medical–surgical nursing into a coordinated, evidence-based framework. The findings of this review demonstrate that interdisciplinary collaboration, technological innovation, patient-centred care, and evidence-based nursing interventions significantly improve healthcare quality, patient safety, and population health outcomes. Despite persistent challenges related to workforce shortages, healthcare inequities, and digital implementation, nurses remain central to advancing resilient and sustainable healthcare systems. Continued investment in nursing education, leadership, research, and technology will further strengthen the profession's capacity to address evolving global health priorities and deliver comprehensive, high-quality care throughout the lifespan.

Recommendations

Healthcare organizations should strengthen evidence-based nursing practice through continuous professional development, standardized clinical protocols, and

multidisciplinary collaboration. Policymakers should invest in nursing workforce expansion, digital infrastructure, advanced practice nursing roles, and research funding. Nursing curricula should incorporate artificial intelligence, digital health, leadership, quality improvement, and implementation science to prepare future nurses for increasingly complex healthcare environments while promoting equitable, safe, and patient-centered care.

Funding: No funding sources

Conflict of interest: None declared

Ethical approval: Not required

REFERENCES

1. World Health Organization. State of the world's nursing 2025: investing in education, jobs, leadership and service delivery. Geneva: World Health Organization; 2025. Available from: <https://www.who.int/publications/i/item/9789240110236> Accessed on 25 March 2026.
2. World Health Organization. Global strategic directions for nursing and midwifery 2021-2025. Geneva: World Health Organization; 2021. Available from: <https://www.who.int/publications/i/item/9789240033863> Accessed on 25 March 2026.
3. International Council of Nurses. Guidelines on mental health nursing. Geneva: International Council of Nurses; 2024. Available from: <https://www.icn.ch/resources/publications-and-reports/guidelines-mental-health-nursing> Accessed on 25 March 2026.
4. International Council of Nurses. Mental health: position statement. Geneva: International Council of Nurses; 2020. Available from: <https://www.icn.ch/what-we-do/position-statements> Accessed on 25 March 2026.
5. United Nations Population Fund, World Health Organization, International Confederation of Midwives. The state of the world's midwifery 2021. New York: United Nations Population Fund; 2021. Available from: <https://www.unfpa.org/publications/sowmy-2021> Accessed on 25 March 2026.
6. Nilsen P. Making sense of implementation theories, models and frameworks. *Implement Sci*. 2015;10:53.
7. Melnyk BM, Fineout-Overholt E. Evidence-based practice in nursing & healthcare: a guide to best practice. 5th ed. Philadelphia: Wolters Kluwer; 2023.
8. Aiken LH, Sloane DM, Ball J, Bruyneel L, Rafferty AM, Griffiths P, et al. Patient satisfaction with hospital care and nurses in Europe and the United States. *BMJ Open*. 2021;11:e045818.
9. Griffiths P, Maruotti A, Recio Saucedo A, Redfern OC, Ball JE, Briggs J, et al. Nurse staffing, nursing assistants and hospital mortality: retrospective

- longitudinal cohort study. *BMJ Qual Saf*. 2019;28(8):609-17.
10. Lake ET, Sanders J, Duan R, Riman KA, Schoenauer KM, Chen Y. A meta-analysis of the associations between the nurse work environment in hospitals and 4 sets of outcomes. *Med Care*. 2019;57(5):353-61.
11. McHugh MD, Aiken LH. Nurse staffing and patient safety. *J Patient Saf*. 2021;17(8):e761-e766.
12. World Health Organization, United Nations Children's Fund. Operational framework for primary health care: transforming vision into action. Geneva: World Health Organization; 2020. Available from: <https://www.who.int/publications/i/item/9789240017832> Accessed on 25 March 2026.
13. World Health Organization. Strengthening integrated, people-centred health services. Geneva: World Health Organization; 2016. Available from: <https://www.who.int/news/item/28-05-2016-world-health-assembly-adopts-framework-on-integrated-people-centred-health-services> Accessed on 25 March 2026.
14. Leppin AL, Mahoney JE, Stevens KR, et al. Situating dissemination and implementation sciences within the global health agenda. *BMJ Glob Health*. 2021;6:e005852. doi:10.1136/bmjgh-2021-005852.
15. Morgan RL, Kelley L, Guyatt GH, Johnson A, Lavis JN. Decision-making frameworks in healthcare. *BMJ*. 2022;376:e067678. doi:10.1136/bmj-2021-067678.
16. Hoffmann TC, Glasziou PP, Boutron I, Milne R, Perera R, Moher D, et al. Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. *BMJ*. 2014;348:g1687.
17. Sterne JAC, Savović J, Page MJ, Elbers RG, Blencowe NS, Boutron I, et al. RoB 2: a revised tool for assessing risk of bias in randomised trials. *BMJ*. 2019;366:l4898.
18. Shea BJ, Reeves BC, Wells G, Thuku M, Hamel C, Moran J, et al. AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both. *BMJ*. 2017;358:j4008.
19. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*. 2021;372:n71.
20. Aromataris E, Lockwood C, Porritt K, Pilla B, Jordan Z, editors. *JBIM Manual for Evidence Synthesis*. Adelaide: JBI; 2024. Available from: <https://synthesismanual.jbi.global> Accessed on 25 March 2026.
21. Haldane V, De Foo C, Abdalla SM, Jung AS, Tan M, Wu S, et al. Health systems resilience in managing the COVID-19 pandemic: lessons from 28 countries. *Nat Med*. 2021;27(6):964-980.
22. Greenhalgh T, Rosen R. Remote by default general practice: must we, should we, dare we? *Br J Gen Pract*. 2021;71(705):149-50.
23. Bashshur R, Doarn CR, Frenk JM, Kvedar JC, Woolliscroft JO. Telemedicine and the COVID-19 pandemic, lessons for the future. *Telemed J E Health*. 2020;26(5):571-3.
24. Firth J, Torous J, Nicholas J, Carney R, Rosenbaum S, Sarris J. The efficacy of digital mental health interventions for depression and anxiety: a review of systematic reviews. *World Psychiatry*. 2020;19(1):3-12.
25. Moreno C, Wykes T, Galderisi S, Nordentoft M, Crossley N, Jones N, et al. How mental health care should change as a consequence of the COVID-19 pandemic. *Lancet Psychiatry*. 2020;7(9):813-24.
26. Vindrola-Padros C, Singh KE, Sidhu MS, Georgiou T, Sherlaw-Johnson C, Tomini SM, et al. Remote home monitoring (virtual wards) for confirmed or suspected COVID-19 patients: a rapid systematic review. *EClinicalMedicine*. 2021;37:100965.
27. Rollins NC, Piwoz EG, Baker P, Kingston G, Mabaso KMH, McCoy D, et al. Marketing of commercial milk formula: a system to capture parents, communities, science, and policy. *Lancet*. 2023;401(10375):486-502.
28. World Health Organization. WHO recommendations on maternal and newborn care for a positive postnatal experience. Geneva: World Health Organization; 2022. Available from: <https://www.who.int/publications/i/item/9789240045989> Accessed on 25 March 2026.
29. Renfrew MJ, McFadden A, Bastos MH, Campbell J, Channon AA, Cheung NF, et al. Midwifery and quality care: findings from a new evidence-informed framework for maternal and newborn care. *Lancet*. 2014;384(9948):1129-45.
30. Sandall J, Soltani H, Gates S, Shennan A, Devane D. Midwife-led continuity models versus other models of care for childbearing women. *Cochrane Database Syst Rev*. 2016;4:CD004667.
31. World Health Organization. Standards for improving quality of maternal and newborn care in health facilities. Geneva: World Health Organization; 2016. Available from: <https://www.who.int> Accessed on 28 March 2026.
32. Ramaswamy R, Alvarez MM, Alvarez M, et al. Community health workers and integrated primary health care: a global perspective. *Lancet Glob Health*. 2021;9:e1465-e1472.
33. Topol EJ. High-performance medicine: the convergence of human and artificial intelligence. *Nat Med*. 2019;25(1):44-56.
34. Esteva A, Robicquet A, Ramsundar B, Kuleshov V, DePristo M, Chou K, et al. A guide to deep learning in healthcare. *Nat Med*. 2019;25(1):24-9.
35. Rajkomar A, Dean J, Kohane I. Machine learning in medicine. *N Engl J Med*. 2019;380(14):1347-58.
36. Jiang F, Jiang Y, Zhi H, Dong Y, Li H, Ma S, et al. Artificial intelligence in healthcare: past, present and future. *Stroke Vasc Neurol*. 2017;2(4):230-43.
37. Reeves S, Pelone F, Harrison R, Goldman J, Zwarenstein M. Interprofessional collaboration to improve professional practice and healthcare

- outcomes. *Cochrane Database Syst Rev*. 2017;6:CD000072.
38. Busari JO, Duits AJ. Interprofessional teamwork and patient safety: challenges and opportunities. *J Multidiscip Healthc*. 2021;14:1245-1256.
39. Institute for Healthcare Improvement. Patient Safety Essentials Toolkit. Boston (MA): Institute for Healthcare Improvement; 2019. Available from: <https://www.ihl.org> Accessed on 28 March 2026.
40. World Health Organization. State of the world's nursing 2025: investing in education, jobs, leadership and service delivery. Geneva: World Health Organization; 2025. Available from: <https://www.who.int/publications/i/item/9789240110236> Accessed on 28 March 2026.
41. International Council of Nurses. International Nurses Day 2025 report: caring for nurses strengthens economies. Geneva: International Council of Nurses; 2025. Available from: <https://www.icn.ch> Accessed on 28 March 2026.
42. World Health Organization. Health workforce: nursing and midwifery. Geneva: World Health Organization; 2025. Available from: <https://www.who.int/teams/health-workforce/hrh-nursing-midwifery/1> Accessed on 28 March 2026.
43. World Health Organization, International Bank for Reconstruction and Development/The World Bank. Tracking universal health coverage: 2023 global monitoring report. Geneva: World Health Organization; 2023. Available from: <https://www.who.int/publications-detail-redirect/9789240080379> Accessed on 28 March 2026.
44. International Council of Nurses. Guidelines on advanced practice nursing 2020. Geneva: International Council of Nurses; 2020. Available from: <https://www.icn.ch/resources/publications-and-reports/guidelines-advanced-practice-nursing-2020> Accessed on 28 March 2026.
45. World Health Organization. Global strategy on digital health 2020-2025. Geneva: World Health Organization; 2021. Available from: <https://www.who.int/publications/i/item/9789240020924> Accessed on 28 March 2026.
46. Melnyk BM, Gallagher-Ford L, Zellefrow C, Tucker S, Thomas B, Sinnott LT, et al. The first U.S. study on nurses' evidence-based practice competencies indicates major deficits that threaten healthcare quality, safety, and patient outcomes. *Worldviews Evid Based Nurs*. 2018;15(1):16-25.
47. Griffiths P, Ball J, Drennan J, Dall'Ora C, Jones J, Maruotti A, et al. Nurse staffing and patient outcomes: strengths and limitations of the evidence to inform policy and practice. *Int J Nurs Stud*. 2016;63:213-25.
48. McHugh MD, Aiken LH, Sloane DM, Windsor C, Douglas C, Yates P. Effects of nurse-to-patient ratio legislation on nurse staffing and patient mortality, readmissions, and length of stay: a prospective study in a panel of hospitals. *Lancet*. 2021;397(10288):1905-13.
49. Lake ET, Riman KA, Sloane DM. Improved work environments and staffing lead to less missed nursing care: a panel study. *J Nurs Manag*. 2020;28(8):2157-65.
50. Leppin AL, Mahoney JE, Stevens KR, Bartels SJ, Baldwin LM, Dolor RJ, et al. Situating dissemination and implementation sciences within and across the translational research spectrum. *J Clin Transl Sci*. 2019;4(3):152-8.
51. Morgan RL, Kelley L, Guyatt GH, Johnson A, Lavis JN. Decision-making frameworks and considerations for informing coverage decisions for healthcare interventions: a critical interpretive synthesis. *J Clin Epidemiol*. 2018;94:143-150.
52. Hoffmann TC, Glasziou PP, Boutron I, Milne R, Perera R, Moher D, et al. Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. *BMJ*. 2014;348:g1687.
53. Davis KM, Eckert MC, Hutchinson A, Harmon J, Sharplin G, Shakib S, et al. Effectiveness of nurse-led services for people with chronic disease in achieving an outcome of continuity of care at the primary-secondary healthcare interface: a quantitative systematic review. *Int J Nurs Stud*. 2021;121:103986.
54. Moreno C, Wykes T, Galderisi S, Nordentoft M, Crossley N, Jones N, et al. How mental health care should change as a consequence of the COVID-19 pandemic. *Lancet Psychiatry*. 2020;7(9):813-24.
55. Parab CS, Cooper C, Woolfenden S, Piper SM. Specialist home-based nursing services for children with acute and chronic illnesses. *Cochrane Database Syst Rev*. 2013;(6):CD004383.
56. Auger KA, Shah SS, Tubbs-Cooley HL, Sucharew HJ, Gold JM, Wade-Murphy S, et al. Effects of a 1-time nurse-led telephone call after pediatric discharge: the H2O II randomized clinical trial. *JAMA Pediatr*. 2018;172(9):e181482.
57. Royal College of Physicians. National Early Warning Score (NEWS) 2: standardising the assessment of acute-illness severity in the NHS: updated report of a working party. London: Royal College of Physicians; 2017. Available from: <https://rcp.ac.uk/resources/national-early-warning-score-news-2/> Accessed on 28 March 2026.
58. Joo JY, Liu MF. Understanding nurse-led case management in patients with chronic illnesses: a realist review. *West J Nurs Res*. 2021;43(2):182-195.

Cite this article as: Nirmala M, Solomon SG, Roselin MJE, Subashini SP, Deepa J, Goyal MD. Transforming nursing practice across the lifespan integrating community health, mental health, child health, midwifery and medical surgical nursing: a comprehensive review. *Int J Community Med Public Health* 2026;13:6240-51.