International Journal of Community Medicine and Public Health
Kumar MN et al. Int J Community Med Public Health. 2026 Dec;13(12):xxx-xxx
https://www.ijcmph.com
pISSN 2394-6032 | eISSN 2394-6040

DOI: https://dx.doi.org/10.18203/2394-6040.ijcmph20264234

Commentary

Peer pressure versus parental surveillance: influences on the development of early-onset substance abuse in male adolescents

M. Naveen Kumar[1], Rakesh Gurrapu[2]*

[1]Department of Social Work, University College of Arts and Social Sciences, Mahatma Gandhi University, Nalgonda, Telangana, India
[2]Department of De-Addiction, Kamineni Institute of Medical Sciences, Narketpally, Nalgonda, Telangana State, India

Received: 18 October 2026
Accepted: 02 November 2026

***Correspondence:**
Rakesh Gurrapu,
E-mail: rakeshgurrapumsw@gmail.com

Copyright: © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

ABSTRACT

Early-onset substance abuse (usually defined as initiation before age 15) is a widespread public health epidemic that has devastating consequences for long-term neurological, psychological, and social development. This paper considers the crossing and often conflicting influences on early-onset substance abuse among male adolescents, centering on perhaps the two most formidable psychosocial influences: peer pressure and parental monitoring. Male adolescents are a particularly vulnerable demographic group because of a combination of neurobiological development, socialization by society (masculinity), and an increased tendency for externalizing behaviours. By synthesizing established sociological and psychological frameworks, namely Social Learning Theory, Social Control Theory, Ecological Systems Theory, etc., this paper examines the role of peer socialization and deviancy training as key catalyst agents in substance initiation, coupled with parental monitoring, especially through the mechanism of child disclosure as an important protective buffer. The paper concludes with an examination of evidence-based interventions and implications for future research in sociology and Psychiatric Social Work.

Keywords: Peer pressure, Parental surveillance, Early-onset, Substance abuse, Adolescents

INTRODUCTION

The initiation of substance use in the adolescent years is an important developmental event that often determines the course of the individual's long-term mental and physical health. Epidemiological research consistently shows that "early-onset" substance abuse-which occurs in early to mid-adolescence-is among the best predictors of developing severe substance use disorders (SUDs) later in life. During this transitional period, adolescents experience tremendous biological, cognitive, and social changes, and move from the primary source of their socialization, the family unit, to the peer network.[1]

Male adolescents are of special clinical and sociological interest. Statistically, males show higher rates of early onset illicit drug use, heavier alcohol consumption, and a greater tendency towards risk-taking behaviours as compared to their female counterparts. Understanding the factors that lead to such behaviours requires a nuanced examination of the adolescent's micro-system.

This paper seeks to unravel the tension between two main determinants, i.e., the risk-enhancing influences of peer pressure and the risk-mitigating influences of parental monitoring, in order to grasp the interplay between the two and how it ultimately determines substance abuse trajectory among young males.[2,3]

THEORETICAL BACKGROUND

To think about the pathways to early-onset substance abuse, this research is based on three core sociological and psychological frameworks.

SOCIAL LEARNING THEORY

Developed by Albert Bandura, Social Learning Theory suggests that individuals learn behaviours by observing, imitating, and modelling behaviours. In the case of adolescent substance abuse, male adolescents look at the ways of their peers, especially those with high social status within a group. If substance use is modelled as a normative, rewarding behaviour that gives social acceptance or masculinity, then the adolescent is very likely to imitate this. Differential reinforcement is a major factor here; the social benefits of peer approval can often erase the delayed and abstract consequences of substance abuse.[4]

SOCIAL CONTROL THEORY

Travis Hirschi's Social Control Theory argues that individuals are predisposed to being deviant, but are held back by their ties to society. These bonds are made up of attachment, commitment, involvement and belief. Strong attachment to parents and commitment to conventional goals (such as education) are deterrents to deviance. When parental monitoring is high, the adolescent's attachment to the family is strengthened thus reducing the chances of engaging in illicit behaviours such as substance abuse. Conversely, low attachment to parents leaves a vacuum, which delinquent peer groups usually fill.[5]

ECOLOGICAL SYSTEMS THEORY

Urie Bronfenbrenner's Ecological Systems Theory of development looks at the development of children as a complex system of relationships influenced by multiple levels of the environment in which they are immersed.

The environments that the adolescent lives in immediately, the microsystems (family and peers), do not function in isolation. The interaction between these microsystems-which is called the mesosystem-is of vital importance. For example, how strongly parents know and interact with their son's peers has a direct effect on the adolescent's risk profile. In the case that parental monitoring is functioning in the mesosystem, the use of substances by peers is significantly reduced.[6]

PEER PRESSURE: THE CATALYST OF INITIATION

Peer influence is rarely a coercive, overt force, but instead is much more commonly a subtle, normative pressure to conform to group identity. For male adolescents, social hierarchies are often made in response to the risk-taking and testing of boundaries.

Socialization vs. selection

It is often disputed in the literature whether adolescents are socialized into substance use by their peers or if they actively choose their peers because they share their deviant tendencies. Current research suggests that there is a two-way relationship (i.e., adolescents seek out similar peers, and equally, these peer groups reinforce deviant behaviours with one another).

The illusion of invulnerability

Peer groups tend to create a group illusion of invulnerability. Within a group setting, the perceived risks involved in alcohol or drug consumption are minimized, and the immediate social rewards are magnified.

Informational vs. normative influence

Adolescents may use substances because they think it is the "right" thing to do, objectively based on peer information (informational influence), or they just want to fit in and not get ridiculed (normative influence). Both pathways are strong inducers of the early onset of use.

DEVIANCY TRAINING AND SIMILARITY

Research conducted by Dishion and Patterson reflects the idea of "deviancy training," a process in which peers actively reinforce antisocial behaviour by laughing, approving, and engaging with it. In male peer groups, discussions of rule-breaking behaviour, substance use, or defiance of authority tend to be met with positive social feedback.

Furthermore, the principle of homophily, "birds of a feather flock together," makes the traditional concept of peer pressure more complicated. It is certainly not always a case of a "good" adolescent being pressured by "bad" peers, but adolescents actively choose their peer groups to fit in with their own emerging predispositions. An adolescent male who is experiencing the initial signs of academic disengagement or familial conflict will actively look for peers engaging in substance use, creating an echo chamber for the onset of abuse.[7]

THE MALE ADOLESCENT CONTEXT: GENDER SPECIFIC VULNERABILITIES

Why are male adolescents particularly vulnerable to this unique interaction of peer and parental forces? The answer is to be found in the intersection of neurobiology and sociological conditioning.

Neurobiological development

During adolescence, the brain experiences major remodelling. The socio-emotional system (including the amygdala and nucleus accumbens), including the reward system, social system, and sensation-seeking, matures more rapidly than the cognitive control system (the prefrontal cortex), including the impulse control, planning, and consideration of long-term consequences.

In young males, this is a neurobiological mismatch that is often marked by increased levels of impulsivity and sensitivity to the social rewards available among peers. The instant satisfaction of peer approval that comes from drinking or drug use easily trumps the abstract and longer-term warnings from parents.[8]

Hegemonic masculinity and externalization

Societally, male adolescents are heavily socialized under the constructs of "hegemonic masculinity," which emphasizes stoicism, risk-taking, dominance, and emotional suppression. When it comes to coping with psychosocial stressors-such as the pressures of school, identity confusion, or family discord-young males are less likely than females to seek out emotional support or verbalize their distress.[9]

Instead, the males are statistically more likely to "externalize" their distress. Substance abuse is a readily available, culturally script-compliant way of dealing with emotional pain or being tough for peers. In this context, peer groups advocating substance use offer a culturally acceptable outlet for male adolescent angst, which makes parental efforts to intervene particularly difficult.[10]

Parental monitoring: the buffer against effectiveness

Parental monitoring includes the activities parents use to monitor and control their child's activities, whereabouts, and associations. It is a cornerstone of successful adolescent socialization and a major deterrent to the onset of substance use.

Dimensions of monitoring

Effective monitoring is not a matter of mere surveillance. It involves parental knowledge (knowing where the child is), soliciting (asking questions) and control (setting rules).

Behavioural vs. psychological control

It is very important to differentiate between behavioural control (setting limits on activities) and psychological control (manipulating feelings by guilt or withdrawal of love). High behavioural control but low psychological control produces the best results in the prevention of substance abuse.[11]

REDEFINING PARENTAL MONITORING: THE IMPACT OF CHILD DISCLOSURE

Historically, parental monitoring has been defined by the active efforts of parents to monitor their child's whereabouts, who they are with, and what they are doing (e.g., curfews, questioning, room searches). However, seminal research by Stattin and Kerr revolutionized this concept. They showed that what parents know is not as much a result of their active surveillance as it is a result of disclosure by the child.

If a male adolescent is open to sharing information about his life, parents are better able to step in when there are risks. High levels of child disclosure are predicated on a foundation of warmth, trust, and authoritative (not authoritarian) parenting.

Therefore, effective parental monitoring is the byproduct of a healthy parent-child relationship rather than sheer surveillance.[12]

The interplay: determinants in a conflict

The key to early-onset substance abuse can be the combination of high peer pressure and low parental monitoring. When male adolescents are embedded in deviance-prone peer networks, having strict, supportive parental monitoring is a critical moderating variable.

Parents who are actively engaged can break the "selection" process so children do not integrate with high-risk peer groups. Furthermore, in clinical and de-addiction environments, practitioners often find that adolescents without parental oversight are not only more likely to start substance use at a younger age but also have a more difficult time maintaining sobriety, since they return to unmonitored environments where peer triggers are still active.[13]

IMPLICATIONS FOR INTERVENTION AND DE-ADDICTION

Understanding this dynamic is important to developing effective sociological interventions and clinical treatments.

Family-based interventions

Treatment programs need to shift from the focus of treating the individual adolescent. Enhancing parenting skills, specifically teaching effective monitoring and communication techniques, is critical to long-term recovery.[14]

Peer-refusal skills

Clinical therapy should emphasize extensively on cognitive-behavioural interventions that provide male adolescents with the skills to navigate and refuse normative peer pressure without getting rid of social standing.[15]

Community-level integration

Schools and community centres need to serve as an auxiliary monitoring system that creates an environment that is structured, substance-free, and promotes positive peer affiliations.[16]




Figure 1: Conceptual framework.

CONCLUSION

Early-onset substance abuse in male adolescents is seldom a consequence of an isolated factor. It is the result of a complex sociological tug of war between the powerful and immediate rewards of peer acceptance versus the regulatory and long-term guidance of parental monitoring. While peer pressure is the first and foremost catalyst for initiation, parental monitoring has been the best buffer in the structure. Future research and clinical interventions should take an integrated approach, which deals with the adolescent in the context of both his or her family system and his or her peer networks to successfully fight the trajectory of early-onset addiction.

Funding: No funding sources
Conflict of interest: None declared
Ethical approval: Not required

REFERENCES

1. Grant BF, Dawson DA. Age at onset of alcohol use and its association with DSM-IV alcohol abuse and dependence: Results from the National Longitudinal Epidemiologic Survey. J Substance Abuse. 1997;9:103-10.
2. Chen K, Kandel DB. The natural history of drug use from adolescence to the mid-thirties in a general population sample. Am J Public Health. 1995;85(1):41-7.
3. Steinberg L, Morris AS. Adolescent development. Annual Review of Psychol. 2001;52(1):83-110.
4. Bandura A. Social Learning Theory. Prentice-Hall. 1977.
5. Hirschi T. Causes of Delinquency. University of California Press. 1969.
6. Bronfenbrenner U. The Ecology of Human Development: Experiments by Nature and Design. Harvard University Press. 1979.
7. Dishion TJ, Owen LD. A longitudinal analysis of friendships and substance use: Bidirectional influence from adolescence to adulthood. Developmental Psychol. 2002;38(4):480-91.
8. Steinberg L. A social neuroscience perspective on adolescent risk-taking. Biosocial Theories Crime. 2017;28(1):435-63.
9. Connell RW, Messerschmidt JW. Hegemonic masculinity. Gender Society. 2005;19:829-59.
10. Otten D, Tibubos AN, Schomerus G, Brähler E, Binder H, Kruse J, et al. Similarities and differences of mental health in women and men: A systematic review of findings in three large German cohorts. Front Public Health. 2021;9:553071.
11. Barber BK. Parental psychological control: Revisiting a neglected construct. Child Develop. 1996;67(6):3296-319.
12. Stattin H, Kerr M. Parental monitoring: A reinterpretation. Child Develop. 2000;71(4):1072-85.
13. Chilcoat HD, Anthony JC. Impact of parent monitoring on susceptibility to peer influences and the epidemiologic risk of early-onset of illicit drug use. Developmental Psychol. 1996;32(1):122-30.
14. Rowe CL. Family therapy for drug abuse: Review and updates. J Marital Fam Therapy. 2012;38(1):59-81.

15. Botvin GJ, Griffin KW. Life skills training: Empirical findings and future directions. J Prim Prevent. 2004;25(2):211-32.
16. Hawkins JD, Catalano RF, Miller JY. Risk and protective factors for alcohol and other drug problems in adolescence and early adulthood: Implications for substance abuse prevention. Psychological Bull. 1992;112(1):64-105.

Cite this article as: Kumar MN, Gurrapu R. Peer pressure versus parental surveillance: influences on the development of early-onset substance abuse in male adolescents. Int J Community Med Public Health 2026;13:xxx-xx.