DOI: https://dx.doi.org/10.18203/2394-6040.ijcmph20204746

Retraction

The article "Effect of COVID-19 lockdown on air quality and solid waste generation: a case study in a metropolitan city, Mumbai, India" is retracted by the Editor-in-Chief, due to violation of the policies and practices of International Journal of Community Medicine and Public Health.¹ The article is retracted when the corresponding author informed conflict in collected data.

REFERENCES

1. Joshua ASS, Kadam MB, Thakur S. Effect of COVID-19 lockdown on air quality and solid waste generation: a case study in a metropolitan city, Mumbai, India. Int J Community Med Public Health 2020;7:4467-72. DOI: https://dx.doi.org/10.18203/2394-6040.ijcmph20204746.

Original Research Article

DOI: https://dx.doi.org/10.18203/2394-6040.ijcmph20204746

Effect of COVID-19 lockdown on air quality and solid waste generation: a case study in a metropolitan city, Mumbai, India

Joshua Anish S. Selwyn*, Monali B. Kadam, Snigdha Thakur

Department of Preventive and Social Medicine, Grant Government Medical College, Mumbai, Maharashtra, India

Received: 20 August 2020 Revised: 11 October 2020 Accepted: 12 October 2020

*Correspondence:

Dr. Joshua Anish S Selwyn,

E-mail: joshuaanish007@gmail.com

Copyright: © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

ABSTRACT

Background: There is limited information describing the change on quality of air and solid waste generation if there is limited and efficient use of vehicles and the shutdown of industries producing hazardous air pollutants that have been achieved by the lockdown. Study assessed changes in the quality of air and solid waste generation due to Lockdown.

Methods: It was an analytical study where the data is received from Maharashtra Pollution Control Board data for Mumbai during the period from December 2019 to July 2020. Analysis of Air pollutants like PM10, SO₂, NO₂, Air quality index, and solid waste generated are taken into consideration.

Results: Findings of air quality data has been analysed from December to July. Where the mean air quality index before the lockdown was 251 which is very unhealthy and during lockdown was 62 which is moderate which is a 75% reduction in the pollutants and the solid waste generation before the lockdown was 6338.63 Metric tons per day which have been reduced to 4121.23 Metric tons per day which is a reduction of 34.98 %.

Conclusions: This study provides information about how the environment would heal itself if there is a restriction on the use of vehicles and shutting down factories producing hazardous pollutants. This would provide the evidence for the Pollution Control Board to implement policy to improve air quality and solid waste generation, which would have a positive impact on human health and ecosystem.

Keywords: Air pollution, COVID-19, Lockdown

INTRODUCTION

Imagine a world where the pollution producing vehicles, Industries are forced to be at halt, leading to clean air to breathe. Since December 2019, novel coronavirus (2019-nCoV) infected pneumonia (NCIP) have been identified first in central China in Wuhan.¹

The outbreak rapidly spread across the globe in a very short period. As per the latest situational report by the WHO, 9 million people have been infected by Novel coronavirus all around the world and about - 0.4 million deaths have been reported.²

Following world trends, the disease has also spread in India. The first case was reported in India on 1st February 2020. One of the most effective preventive measures India has adopted is complete lockdown. India has followed a nationwide lockdown for about 60 days which is one of the largest pan nation lockdowns. Nationwide Lockdown for Corona in India was started on 25th March 2020 ended on 31st May 2020 and it has been started lifting from 1st of June in a phase-wise manner.

Maharashtra which has a population of 12 million, ranks top on the total cases and deaths in India.

Mumbai which is the capital of Maharashtra has the highest number of cases in India. Which is the economic capital of India and ranks top in poor Air quality in the world. Air pollution is considered as one the accelerator of COVID-19 transmission because PM can act as a carrier of viable virus particles and can spread it beyond 2 meters distance.

Setti et al. studied the role of air pollution in the spread of SARS-CoV-2 in Italy. The study noted the Lombardy and Po Valley region in northern Italy has the highest number of COVID 19 cases and the most polluted air in the country. Based on the univariate analysis, it was established that PM10 value exceedances (>50 $\mu g/m^3$) were a significant predictor of SARS-CoV-2 infection while comparing the infection and air pollution data of 43 cities with higher and 67 cities with lower PM10 Concentrations.³

Human life has come to a standstill as many countries shut themselves off from the work due to the Novel Coronavirus disease pandemic COVID-19 that hit the world severely in the first quarter of 2020. All types of industries, vehicle movement, and people's activity suddenly halted, perhaps for the first time in modern history. For a long time, it has been stated in various literature that the increased industrialization and anthropogenic activities in the last two decades polluted the atmosphere, hydrosphere, and biosphere. Since the industries and people's activities have been shut off for a month or more in many parts of the world, it is expected to show some improvement in the prevailing conditions in the aforementioned spheres of environment.⁴

Air is one of those fundamental necessities, without which life cannot exist in its current form. Air pollution is one of the foremost and grave public health and environmental anxiety in most of evolving countries. In the Indian context, cities such as Mumbai have shown a reduction of 34% in PM level respectively during the lockdown from March 25th March (Source: Atmos Real-Time Air Quality, Respirer Living Science, Mumbai, India.)

Air pollution plays a major role in Comorbid conditions such as hypertension, diabetes, and coronary artery diseases that are exacerbated by air pollution. COPD and other chronic respiratory morbidities are worsened in high pollution states. Every year almost six lakh Indians die due to side effects of air pollution.⁵

Air pollution is the fifth leading risk factor for mortality worldwide. It is responsible for more deaths than many better-known risk factors such as malnutrition, alcohol use, and physical activity. Each year, more people die from air pollution-related diseases than from road traffic injuries or malaria. Mass scale health problems due to air pollution also impose a considerable burden on the national economy, particularly for developing countries

where the government is the foremost contributor to the health facilities.⁶

During lockdown people are urged to stay and work from home, restaurants, shopping complexes are closed and people go out only to meet the most urgent needs like buying food. Therefore COVID-19 caused a drop in solid waste generation. It's interesting to consider these changes in people's behaviour in the longer term. Interestingly COVID-19 has accidentally contributed to several progress towards meeting sustainable development goals in particular SDG 12 (Ensure sustainable consumption and production patterns), including a target to halve per capita food waste at the consumer level by 2030.7

Mumbai generates waste approximately 7,025 tonnes of solid waste per day. It is collected by garbage collectors and dumped at the dumping grounds at the northern part of Mumbai.

In this study, we assessed the impact of lockdown on quality of air and solid waste generation in a Metropolitan City (Mumbai), India.

Hypothesis

Ho- There is no impact of lockdown on Air Quality and Solid Waste generation.

HA- There is an impact of lockdown on Air Quality and Solid Waste generation.

METHODS

This was a retrospective analytical study done in a metropolitan city from December 2019 to July 2020.

Independent variable: Time

Dependent variable: Real-time Air quality $(\mu g/m^3)$ and quantity of waste generated (Metric Ton).

Patient and public involvement: There is 'No patients involved 'in the study.

Method of data collection

Data is available with the Maharashtra pollution control board.

Permission had been taken from the Member secretary of Maharashtra Pollution Control Board and data was collected from the Air Quality and Solid waste Management department. Air quality data was received as an Excel file for the period from December 2019 to July 2020 and Solid Waste Generation data was received as an excel file for the period from 1st March to 30th April. Data of various parameters have been compared before and after lockdown.

The comparative and impact data analysis has been done and formulated in Figures and Tables. Data analysis has been done using appropriate statistical methods.

Materials used

Laptop with internet access, excel, SPSS software

Statistical analysis

Data thus collected has been compiled and analyzed in Microsoft Excel sheets. For the application of the test of significance and correlation, SPSS statistical software has been used. A p value less than 0.05 has been considered as statistical significance

The study has been started after receiving permission from Member Secretary of Maharashtra Pollution Control Board (MPCB) and the data is used only for educational purposes.

RESULTS

Table 1 indicates the decline in month wise average on air quality index and air pollutants after the lockdown was implemented on 25th March.

Table 1: Month-wise average comparison of air quality index and concentration of air pollutants before and during the lockdown.

Months	Before lock down			Months	During 1	During lock down			
	PM 10	NO_2	SO_2	AQI		PM 10	NO ₂	SO ₂	AQI
Dec-19	190	80	17	282	Apr-20	81	12	12	82
Jan-20	223	84	20	260	May-20	62	12	17	62
Feb-20	228	106	22	243	Jun-20	53	18	17	53
Mar-20	207	79	23	220	Jul-20	51	29	26	50
Total	847	349	82	1005	Total	246	71	72	247
Average	212	87	21	251	Average	62	18	18	62

Table 2: Comparison of air quality index and Concentration of air pollutants before and during the lockdown.

Danamatana	Before lo	ockdown	During lockdown		
Parameters	Mean	SD	Mean	SD	
PM10	212	17.18	62	13.7	
NO ₂	87	12.68	18	8.01	
SO ₂	21	2.64	18	5.83	
AQI	251	26.24	62	14.43	

Figure 1 shows a comparison of Nitrogen Dioxide level between (1st January to 24th March 2019 and 2020) and between (25th March to 20th April 2019 and 2020) which shows the reduction in NO_2 levels from 24th March to 20th April 2020 compared to 2019. Whereas there is no reduction in NO_2 level from 1st January to 24th March 2020 and 2019. This signifies the effect of lockdown on NO_2 .

Interpretation

Table 3 shows the reduction in Air Quality Index, PM10, NO_2 and SO_2 by 75%, 71%, 79% and 14%. There is a significant decrease in Air pollutants during lockdown compared to before lockdown. If the p value is <0.05 then there is a significant effect of lockdown on air pollutants and the null hypothesis would be rejected.




Figure 1: Comparison of Nitrogen Dioxide level at troposphere in 2019 and 2020 by the European space agency.

There is statistical significance among AQI, PM10, and NO₂, but not with SO₂ the reason behind this is that vehicular halt doesn't have an impact, due to the Bharath stage six (BS6) emission which reduces the Sulphur content released 5 times than BS4 and it also indicates the functioning of Industries (Power Plants) even during the lockdown.

Table 3: Analysis of the e	effect of lockdown on the	environment using the	paired t-test for analysis.

Variable	Mean		P value	Intounuototion	Remark
variable	Before	During	r value	Interpretation	Kemark
AQI	251	62	< 0.05	Null hypothesis is rejected	There is a significant effect of lockdown on Air quality index
PM10 (μg/m ³)	212	62	< 0.05	Null hypothesis is rejected	There is a significant effect of lockdown on PM10
NO2 (μg/m ³)	87	18	< 0.05	Null hypothesis is rejected	There is a significant effect of lockdown on NO ₂
SO2 (μg/m ³)	21	18	>0.05	Null hypothesis is accepted	There is no significant effect of Lockdown on NO ₂




Figure 2: Trend of daily solid waste generated before and during the lockdown in Mumbai.

Figure 2 shows the reduction in the trend of daily solid waste generation during the lockdown. Table 4 shows the mean daily solid waste generated before lockdown is 6338 Metric tons and after lockdown is 4121 Metric tons which is a reduction of 34.9 % reduction in solid waste generation during lockdown compared to before lockdown.

Table 4: Percentage decrease and average daily waste disposal before lockdown and during lockdown in Mumbai.

Week	Before lockdown (in metric ton)	During lockdown (in metric ton)
1	6475.8	4302.1
2	6290.2	4113
3	6249.9	3948.6
Mean	6338.66	4121.23
S.D	263.67	261.40
P-value	< 0.05 (its significa	nt)
% Decrease	34.98%	

Table 5: Analysis of the effect of lockdown on solid waste generation using a paired T-test for analysis.

Variable	Mean		Davalara	Intomustation	Remark	
variable	Before	During	P value	Interpretation	Kemark	
Solid waste generated/ Day	6338.63/MT	4121.23/MT	<0.05	There is a significant effect of lockdown on solid waste generation	The Null Hypothesis is rejected. There is a significant effect of lockdown on solid waste generation	

Interpretation

Table 5 shows the mean daily solid waste generated before lockdown is 6338 Metric tons and after lockdown is 4121 Metric tons which is a reduction of 34.98% reduction in Solid waste generation during lockdown compared to before lockdown. sIf the p value is <0.05

then there is a significant effect of lockdown on air pollutants and the null hypothesis would be rejected.

DISCUSSION

Covid-19 which originated in Wuhan has spread to all parts of the world which has infected 13 million people of

which 0.5 million have succumbed to it. Since there is no proven cure for the virus. Locking down in homes and social distancing is the only preventive step that the entire country is following. But as human activities are restricted in most of the areas, the natural environment of the country has started healing itself. Factories, transport, vehicles, and aviation have all been grounded to halt. Which has led to an improvement in the quality of air. Air quality Data which was taken from December to July shows a remarkable reduction in Air Quality Index, PM10, NO₂ and SO₂ by 74%, 70%, 79% and 12% during the lockdown and data of Solid waste generation from March and April shows 35% reduction showing a significant effect of lockdown on environment.

Snehal et al, in his study on the indirect impact of COVID-19 on the environment, demonstrated that the air quality in New Delhi which was horribly high between 300-400 before lockdown has become 94 which is moderate and there is also a reduction in PM10, NO₂, and CO at India's most polluted city (Ghaziabad). European space agency revealed that there is a significant reduction in Nitrogen dioxide (NO2) levels (generally emitted in the atmosphere through vehicular exhausts, power plants, and industries) in the Indian atmosphere during the lockdown.

Based on the results shown in Tables and Figures, the results support the hypothesis, that lockdown has a positive impact on the environment.

Strengths: This is a novel study and it could act as proof that how temporary controlling pollution can bring an impact on the environment.

Weakness: A weakness of the investigation would be that the data was taken from a secondary source. By using a secondary source, these questions the accuracy of the data used. The method of data collection is unknown so there may be some human error.

Solution

Motor-vehicles and industries are one of the main causes of air pollution. Since lockdown isn't a permanent solution, the introduction of eco-friendly methods of transportation, such as electrical vehicles, use of public transport, car-pooling, strict checks on vehicular servicing should be followed. People can cycle or walk short distances.

The strength of this solution would, not only be healthy but also reduce the number of pollutants released in the air. Pollution control methods such as the odd-even rule, car-free Sunday should also be implemented nationwide. There should be continuous monitoring of pollutants released by industries and the government should make sure that they are being treated properly before being released into the environment.

A weakness to the solution is that electrical cars are much more costly, which means being a middle-income country it would be difficult to implement. But to implement this, our government has to provide electric tax-free so it would attract the buyers and spend money on infrastructure for the charging station. Due to an increase in demand for products and development, it would be difficult to stop industrialization and but it could be overcome by newer technologies called scrubbers captures carbon from the gases released out. That being said this strategy is not cheap and building it would be reflected in the consumer's goods costs.

The control of air pollution and waste generation doesn't depend solemnly on Programs and policies, human behaviour place a major role. Programs and policies with community participation would be the solution for an eco-friendly environment.

CONCLUSION

The observed effect due to lockdown has a significant effect on air quality. This significant improvement in the quality of air due to lockdown indicates the effect of factories and vehicles on the environment. This will enable the government and policy makers to take necessary steps to bring behavioral change among people to make earth an eco-friendly environment and it would create an awareness about impact of pollutants generated by vehicle and factories on environment.

ACKNOWLEDGEMENTS

Authors would like to appreciate the Maharashtra pollution control board who generously volunteered information that formed the basis for the analysis in the study.

Funding: No funding sources Conflict of interest: None declared

Ethical approval: The study was approved by the

Institutional Ethics Committee

REFERENCES

- Qun Li, Med M, Guan X. Early transmission dynamics in Wuhan, China of novel coronavirus infected pneumonia. N Engl J Med. 2020;382:1199-207.
- World Health Organization. Situational Report, 2020. Available at https://www.who.int/docs/ default-source/coronaviruse/situation-reports/ 20200615-covid-19-sitrep-147.pdf?sfvrsn=2497 a6054. Accessed on 10 July 2020.
- 3. Setti L. The potential role of particulate matter in the spreading of COVID-19 In Northern Italy: First evidence based research hypothesis. BMJ Yale. 2020. Available at https:// www. medrxiv. org/content/ 10.1101/2020.04.11.20061713v. Accessed on 10 July 2020.

- 4. Yunus AP, Masago Y, Hijioka Y. COVID-19 and surface water quality: Improved lake water quality during the lockdown. Sci Total Enviorn. 2020;731:139012.
- 5. Jain M. Not just Delhi: these six Indian cities have an air pollution problem worse than Beijing. Available at https://scroll.in/article/801365/not-just-delhi-these-indian-cities-have-an-air-pollution-problem-worse-than-beijing. Accessed on 10 August 2020.
- 6. World Health organization. Preventing disease through healthy environments-towards an estimate of the environmental burden of disease, 2006. Available at https://www.who.int/quantifying_ehimpacts/publications/preventingdisease.pdf?ua=1. Accessed on 10 August 2020.
- 7. Jribi S, Ismail HB, Doggui D. COVID-19 virus outbreak Lockdown: What impacts on household food wastage. Environ Dev Sustain. 2020;19:1-17.

- European Space Agency, Air pollution drops in India following Lockdown, 2020. Available at https://www.esa.int/Applications/Observing_the_Ea rth/Copernicus/Sentinel-5P/Air _pollution _drops in_ India_following_lockdown. Accessed on 10 July 2020.
- 9. Lokhandwala S, Gautam P. Indirect impact of COVID-19 on environment: A brief study in Indian context. Environ Res. 2020;188:109807.

Cite this article as: Joshua ASS, Kadam MB, Thakur S. Effect of COVID-19 lockdown on air quality and solid waste generation: a case study in a metropolitan city, Mumbai, India. Int J Community Med Public Health 2020;7:4467-72.